




## DELLENT 200KW Diesel Generator 275kVA 50Hz Standby Generator Set Doosan P126TI

Our Product Introduction

### Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT-Doosan
- Certification: CE ISO
- Model Number: DE-DS275
- Minimum Order Quantity: 1PC
- Price: face to face
- Packaging Details: PLASTIC WRAP
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 500 PCS PER MONTH



### Product Specification

- Brand: Doosan
- Cooling System: Water Cooling
- Frequency: 50HZ
- Alternator: Stamford
- Phase: Three Phase
- Type: Diesel Generator
- Controller: Smartgen
- Engine Model: P126TI
- Rate Current: 360.9A
- Name: 200kw Diesel Generator
- Highlight: **50Hz Standby Generator Set,  
200KW Diesel Generator 275kVA,  
Doosan P126TI**

for more products please visit us on [dellentpower.com](http://dellentpower.com)

## Product Description

High Commercial Doosan 275kVA Generator ,P126TI Engine Diesel Generator ,  
Light: CE Doosan 275kva Generator ,50HZ

### .PRODUCT DESCRIPTION

50Hz 275kVA Standby Power with P126TI of Doosan Diesel Generator Set

**Product Introduce:** Dellent Power Doosan Series generator powered by the original Doosan engine, it enjoys high stability, reliability, durability, and long life with a wide range of power output. It is widely used in the area of the port, railway, industrial, and mining.



#### Product parameters: Specification of 150kVA Emergency Standby Generator:

Model		DE-DS275
Max. Power	kVA	275
	kW	220
Rate Power	kVA	250
	kW	200
Frequency	Hz	50
Rate Voltage	V	400/230
Rate Current	A	360.9
Fuel Tank Capacity	L	450
Dimension For Open-type Genset	mm	2850 X 1020 X 1660
Weight For Open-type Genset	kg	2490
Dimension For Soundproof Genset	mm	3700X 1300 X 1700
Weight For Soundproof Generator	kg	3350
Noise Level for Soundproof Generator at 7M	dBA	78

#### Specification of Doosan Diesel Engine P126TI:

Engine Manufacturer		Doosan Infracore
Engine Brand		Doosan
Engine Model		P126TI
No. of Cylinder		6 Cylinder in line
Aspiration		Turbocarged
Governor		Electric
Engine Max. Output Power	KW	272
Displacement	L	11.1
Compression Ratio		17 : 1
Starting Voltage	V	24
Bore	mm	123
Stroke	mm	155
Lubrication Oil Capacity	L	23
Intake Air Flow	M3/Min	16.4
Fuel Consumption at 100% Load	L/H	61.1

**Specification of Control Panel :**  
**Specification of Control Panel for 275kVA Emergency Standby Generator:**

Controller Brand	Smartgen
Controller Model	HGM6120N
Breaker Brand	Delixi
Breaker Capacity (A)	630
Emergency Stop Button	Supply
Automatic Mains Fail (AMF)	Supply
Fuel Level	Supply
Automatic Transfer Switch	ATS as optional part

The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).

Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.

**. Why Choose Us:**

**Dedicated**

We are DEDICATED to meet Customers' need.

**Enthusiasm**

We respond to our Customers' ENTHUSIASM

**Loyalty**

We cherish our Customers' LOYALTY

**Luxury**

We aim to establish our own LUXURY brand

**Efficient**

We offer our EFFICIENT service

**Newest**

We adopt NEWEST technologies for products

**Trust**

We strive for winning the TRUST from Customers

**. QUALIFICATION CENTIFICATE:**



## . FACTORY INTERIOR:



If you need Deutz generator with other models technical data, kindly contact us for catalogues!



**Fuan Dellent Electric & Machinery Co., Ltd.**

+8613706938606

jennifer@dellent.com

dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN  
CITY,NINGDE CITY,FUJIAN.CHINA