

60Hz 1000kw Diesel Generator 1250kva Synchronized 1000 Kw Cummins Generator

Basic Information

Place of Origin: CHINA
Brand Name: DELLENT
Certification: CE/ISO9001
Model Number: DE-CC1375
Minimum Order Quantity: 1 PC

• Price: bargain face-to-face

Packaging Details: PLASTIC WRAP OR PLYWOOD CASE

Delivery Time: 20-30 DAYSPayment Terms: L/C, T/T

• Supply Ability: 1 MONTH 600PCS



Product Specification

Name: Synchronized 1000 Kw Cummins Generator

Engine Brand: CumminsEngine Model: KTA38-G9

Cooling Method: Water-Cooling System

• Fuel Type: Diesel

Prime Power: 1250kVA/1000kW
 Standby Power: 1375kVA /1000kW

Rated Frequency: 60HZSpeed: 1800RPM

• Warranty: 12 Months/1000 Hours

• Genset Type: Open Type

• Highlight: Synchronized 1000 Kw Cummins Generator,

1250kva Diesel Generator 60Hz, 1000kw Diesel Generator 1250kva

Synchronized Cummins Generator Set 1250kVA 1000kW 60Hz

Looking for reliable Cummins generators for your power needs? Look no further than our Cummins generator dealership! We are proud to offer a wide range of high-quality Cummins gensets that are perfect for both residential and commercial use.

Our Cummins generators are known for their superior performance, durability, and efficiency, making them the perfect choice for anyone who needs reliable and uninterrupted power. Whether you need a backup power source for your home or office or you need a reliable generator for your industrial or construction site, we have the perfect Cummins generator for you.

. PRODUCT

Cummins Engine Generator:

Model		DE-CC1375
Standby Power	kVA	1250
	kW	1000
Prime Power	kVA	1125
	kW	900
Frequency	Hz	60
Output Voltage	V	240
Oil Consumption	L/H	0.726736734
Dimension For Open-type	mm	4250 X 1850 X 2400
Weight For Open-type	kg	9650
Dimension For Soundproof	mm	6058 X 2438 X 2591
Weight For Soundproof	kg	11950
Engine Specification		
Engine Model		KTA38-G9
No.of Cylinder		12 Cylinder V Type
Bore	mm	159
Stroke	mm	159
Displacement	L	37.8
Cooling Fan Air Flow	m3/min	2100
Compress Air Flow	m3/min	99
Exhaust Gas Flow	m3/min	198
Exhaust Gas Temperature		529
Lubrication Oil Capacity	L	135
Cooling Water Capacity	L	124
Starting Voltage	V	24
Engine Max.Output Power	kW	1112
Alternator Model		LVI 634 D
Alternator Brand		Stamford
Rate Output	kVA	1137
Frequency	Hz	60
Altitude	М	≤1000
Insulation		Class H
Protection Grade		IP23

Control Panel Specification		
Controller Brand	Deepsea	
Controller Model	DSE1620	
Breaker Brand	Delixi	
Breaker Capacity	80A	
Battery Charger	Supply	

Emergency Stop Button	Supply
Automatic Mains Fail (AMF)	Supply

The control panel supply the full protection with Alarm and Shutdown of the diesel generator include High Temp, Low Oil Pressure, Over / Under Speed, Over Load, Start / Stop Fail, Under / Over Voltage etc.

Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.

. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CENTIFICATE:



















FACTORY INTERIOR:















Fuan Dellent Electric & Machinery Co., Ltd.





+8613706938606 jennifer@dellent.com edellentpower.com



NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN CITY,NINGDECITY,FUJIAN.CHINA